PLANT AND SOIL

Contents Volume 222, No. 1/2 2000

Temporal changes in C, P and N concentrations in soil solution following application of synthetic sheep urine to a soil under grass
C.A. Shand, B.L. Williams, S. Smith and M.E. Young 1–13

The micromorphology of selected Irish milled peats
S.J. Mooney, N.M. Holden, S.M. Ward and J.F. Collins 15–23

Root exudation and Fe uptake and transport in wheat genotypes differing in tolerance to Zn deficiency
Z. Rengel and V. Römheld 25–34

Predicting radiocaesium root uptake based on potassium uptake parameters. A mechanistic approach
M.C. Roca-Jove and V.R. Vallejo-Calzada 35–49

Uptake and partitioning of cadmium by cultivars of peanut (*Arachis hypogaea* L.)
M.J. McLaughlin, M.J. Bell, G.C. Wright and G.D. Cozens 51–58

Land quality changes following the conversion of the natural vegetation into silvopastoral systems in semi-arid NE Brazil
B. Wick, H. Tiessen and R.S.C. Menezes 59–70

Soil nitrogen heterogeneity in a Dehesa ecosystem
A. Gallardo, J.J. Rodríguez-Saucedo, F. Covelo and R. Fernández-Alés 71–82

Importance of physical plant properties on methane transport through several rice cultivars
H. Yao, K. Yagi and I. Nouchi 83–93

Vertical patterns of soil water uptake by plants in a primary forest and an abandoned pasture in the eastern Amazon: an isotopic approach
M.Z. Moreira, L. da S.L. Sternberg and D.C. Nepstad 95–107

Effects of land use on ^{15}N natural abundance of soils in Ethiopian highlands
Z. Eshetu and P. Högberg 109–117

Foliar free polyamine and inorganic ion content in relation to soil and soil solution chemistry in two fertilized forest stands at the Harvard Forest, Massachusetts
R. Minocha, S. Long, A.H. Magill, J. Aber and W.H. McDowell 119–137

Availability of different forms of sulphur fertilisers to wheat and oilseed rape
N.G. Riley, F.J. Zhao and S.P. McGrath 139–147

***In situ* soil solution chemistry in the rhizosphere of mature Norway spruce (*Picea abies* [L.] Karst.) trees**
A. Dieffenbach and E. Matzner 149–161

Root zone solute dynamics under drip irrigation: A review
K. Mmolawa and D. Or 163–190

Effects of increased atmospheric CO_2, temperature, and soil N availability on root exudation of dissolved organic carbon by a N-fixing tree (*Robinia pseudoacacia* L.)
S.M. Uselman, R.G. Qualls and R.B. Thomas 191–202

Spatial heterogeneity of soil respiration and related properties at the plant scale
H. Stoyan, H. De-Polli, S. Böhm, G.P. Robertson and E.A. Paul **203–214**

Use of strontium isotopes and foliar K content to estimate weathering of biotite induced by pine seedlings colonised by ectomycorrhizal fungi from two different soils
H. Wallander **215–229**

Effect of high air and soil temperature on dry matter production, pod yield and yield components of groundnut
P.V. Vara Prasad, P.Q. Craufurd and R.J. Summerfield **231–239**

Investigations into the exploitation of heterogeneous soils by *Lupinus albus* L. and *L. pilosus* Murr. and the effect upon plant growth
S.J. Kerley, J.E. Leach, J.L. Swain and C. Huyghe **241–253**

The Diagnosis and Recommendation Integrated System (DRIS) for diagnosing the nutrient status of grassland swards: III Practical applications
J.S. Bailey, R.A. Dils, R.H. Foy and D. Patterson **255–262**

A review of rhizosphere carbon flow modelling
M.E. Toal, C. Yeomans, K. Killham and A.A. Meharg **263–281**

Author index **283**

Instructions for authors **285–291**

Cover Photo: The forest floor of a ten year old poplar plantation at the Kellogg Biological Station, Hiclory Corners, MI. (Photo by Sven Böhm)
Plant and Soil Vol. 222, pp. 203–214.